

[Google](#)drjatorres@gmail.com | [Search History](#) | [My Account](#) | [Sign out](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)["frequency offset" quadrature pilot fir](#)[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 788 for **"frequency offset" quadrature pilot fir.** (0.27 seconds)[\[PDF\] Frequency Offset and I/Q Imbalance Compensation for Direct ...](#)

File Format: PDF/Adobe Acrobat

frequency offset and in-phase/quadrature (I/Q) imbalance, are ad- ... impulse response.

(FIR) filter that compensates the frequency de- ...

ieeexplore.ieee.org/iel5/7693/30621/01413233.pdf - [Similar pages](#)[\[PDF\] Frequency synchronization algorithm robust to pilot distortion ...](#)

File Format: PDF/Adobe Acrobat

the VCO and the incoming pilot. foscC fir. fox. =. fir. fox. ' fir. Fig. 3. Signal waveform for each part of conventional FPLL for. **frequency offset**. ...ieeexplore.ieee.org/iel5/30/22240/01037049.pdf?arnumber=1037049 - [Similar pages](#)[[More results from ieeexplore.ieee.org](#)][\[PDF\] PubTeX output 2005.03.15:1310](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**frequency offset** and in-phase/quadrature (I/Q) imbalance, are ad- ... Proposed pilotstructure for **frequency offset** and I/Q imbalance. compensation. ...www.comsoc.org/tech_focus/pdfs/rf2/pdf/23.pdf - [Similar pages](#)[Frequency offset and I/Q imbalance compensation for direct ...](#)Two types of wireless system imperfections, namely, **frequency offset** and in-phase/quadrature(I/Q) imbalance, are addressed in this paper. ...cat.inist.fr/?aModele=afficheN&cpsidt=16660156 - [Similar pages](#)[Pilot symbol assisted modulation and demodulation in wireless ...](#)modulating the frame of data symbols and pilot symbols using quadrature phase ... of the frame are recovered by a finite impulse response (**FIR**) filter. ...www.patentstorm.us/patents/6301291-claims.html - 23k - [Cached](#) - [Similar pages](#)[\[PDF\] ACTS Mobile Terminals Brian S. Abbe Martin J. Agan Thomas C ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)After correcting the **frequency offset** the signal is passed to the symbol ... Inphase Pilot.

Asynchronous. 28. RS-232. Mobile. Quadrature Pilot ...

trs-new.jpl.nasa.gov/dspace/bitstream/2014/25051/1/96-0699.pdf - [Similar pages](#)[Automatic phase and gain balance controller for a baseband ...](#)means for conducting said pilot signal to said in-phase and quadrature signal ... a VCO to generate the desired **frequency offset** from that of the COHO 11. ...www.freepatentsonline.com/4122448.html - 71k - [Cached](#) - [Similar pages](#)[Method and apparatus for correcting for clock and carrier ...](#)Apparatus for estimating, and compensating for **frequency offset** imposed on a ... The real and imaginary parts (also known as the in-phase and quadrature ...www.freepatentsonline.com/5228062.html - 46k - [Cached](#) - [Similar pages](#)[\[PDF\] Pilot-Assisted Channel Estimation Using Adaptive Interpolation for ...](#)

File Format: PDF/Adobe Acrobat

and **frequency offset**, a pilot-assisted channel estimation us- ... tion are quadrature phase shift keying (QPSK) and binary. PSK (BPSK), respectively. ...ietcom.oxfordjournals.org/cgi/reprint/E88-B/7/2962.pdf - [Similar pages](#)

Designing a high-speed modem for microwave, satellite communications

The mapper generates in-phase and **quadrature** (I/Q) components. Each component is filtered by a digital finite impulse response (**FIR**) filter implemented ...

rfdesign.com/mag/radio_designing_highspeed_modem/ - 50k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [**Next**](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

drjatorres@gmail.com | [Search History](#) | [My Account](#) | [Sign out](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Google "frequency offset" quadrature pilot fir wlan [Advanced Search](#) [Preferences](#)

Web Results 1 - 10 of about 382 for "frequency offset" quadrature pilot fir wlan. (0.24 seconds)

Did you mean: "frequency offset" quadrature pilot **for** wlan

[PDF] [Performance of WLAN in A Multipath Channel](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

phase shift keying (BPSK), 12 and 18 Mbps using **quadrature**. phase shift keying (QPSK), ... the **frequency offset** is zero. The long training sequences are ...

www.enformatika.org/data/v2/v2-7.pdf - [Similar pages](#)

[PDF] [5988-5415EN 3/15/02](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **WLAN** receiver demodulates and decodes the signal transmitted by the ESG and ... channel (for example, the **pilot** channel in IS-97). Quad Err. **Quadrature** ...

www.home.agilent.com/agilent/redirector.jspx?action=ref&cname=AGILENT_EDITORIAL&ckey=1000002215%3... - [Similar pages](#)

[PDF] [Performance of WLAN in an Indoor Environment](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

quadrature splitter and low pass filtered through a **FIR**. ... Effects of **frequency offset** and clock drift were also modeled in the simulation and that ...

www.ibcast.org.pk/IBCAST%20Proceedings%202003%20for%20Website/CS/3301.pdf - [Similar pages](#)

[PDF] [A bluetooth-enabled hiperLAN/2 receiver - Vehicular Technology ...](#)

File Format: PDF/Adobe Acrobat

frequency-offset-correction part of the receiver. It requires. one complex multiplication per ... selection in HiperLAN/2 mode, so symmetric **FIR** filters ...

ieeexplore.ieee.org/iel5/9004/28572/01286350.pdf - [Similar pages](#)

[PDF] [An Interpolation-Based High-Precision Frequency Acquisition Method ...](#)

File Format: PDF/Adobe Acrobat

Real part of a **quadrature** phase-shift keying (QPSK) OFDM symbol. block with N ...

Frequency offset estimation error bias for the different **FIR** and **IIR** ...

ieeexplore.ieee.org/iel5/10511/33289/01578247.pdf?arnumber=1578247 - [Similar pages](#)

[More results from ieeexplore.ieee.org]

[Phase noise compensation for MIMO WLAN systems - Patent 20060262868](#)

Because of this, phase noise can be jointly estimated from the **pilot** symbols ... residual **frequency offset** (a linear phase component) and and time varying ...

www.freepatentsonline.com/20060262868.html - 49k - [Cached](#) - [Similar pages](#)

[PDF] [Carrier frequency offset estimation and I/Q imbalance compensation ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

frequency offset and the in-phase/quadrature (I/Q) imbalance are ... communication systems such as wireless local area networks (**WLAN**) and digital ...

www.hindawi.com/RecentlyAcceptedArticlePDF.aspx?journal=ASP&number=45364 - [Similar pages](#)

[PDF] [High Performance Viterbi Decoder for OFDM Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

are modulated using binary or **quadrature** phase shift keying. (BPSK/QPSK), 16-

quadrature ... original Viterbi metric for WLAN receivers. The new modified ...
www.ece.uci.edu/~ayanoglu/VTCSp04.pdf - [Similar pages](#)

[PDF] [Mapping Wireless Communication Algorithms onto a Reconfigurable ...](#)

File Format: PDF/Adobe Acrobat

MAC unit and is optimized for algorithms such as FFT and FIR. ... Frequency offset correction. There exists a difference in mix frequencies between ...
www.springerlink.com/index/H305JJ510L80X274.pdf - [Similar pages](#)

[PDF] [Microsoft PowerPoint - wlan_troychak](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Verification of a Power Amplifier Design in a WLAN System ... 802.11a, 48 data subcarriers and 4 pilot carriers are defined. Each lower rate signal ...
eesof.tm.agilent.com/pdf/adv_rfic_paper03.pdf - [Similar pages](#)

Did you mean to search for: "frequency offset" quadrature pilot **for wlan**

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

drjatorres@gmail.com | Search History | My Account | Sign out

Web Images Video News Maps more »

Google "frequency offset" quadrature pilot fir wlan pre Advanced Search Preferences

Web Results 1 - 10 of about 149 for "frequency offset" quadrature pilot fir wlan preamble. (0.49 seconds)

Did you mean: "frequency offset" quadrature pilot **for** wlan preamble

[PDF] Performance of WLAN in A Multipath Channel

File Format: PDF/Adobe Acrobat - [View as HTML](#)

when overhead because of the **preamble** and header is taken. into account. ... the frequency offset is zero. The long training sequences are ...

www.enformatika.org/data/v2/v2-7.pdf - [Similar pages](#)

[PDF] 5988-5415EN 3/15/02

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Selects the format of the **preamble**/header sections of the framed signal. ... channel (for example, the **pilot** channel in IS-97). Quad Err. **Quadrature Skew** ...

www.home.agilent.com/agilent/redirector.jspx?action=ref&cname=AGILENT_EDITORIAL&ckey=1000002215%3... - [Similar pages](#)

[PDF] Performance of WLAN in an Indoor Environment

File Format: PDF/Adobe Acrobat - [View as HTML](#)

BP RFIC Vendor. BW mismatch. AGC & Quantizer. 10-bit, -14 dB. **Quadrature**. splitter. RX. **FIR**. SRC [0.2]. Synchronization. Block. **Preamble** ...

www.ibcast.org.pk/IBCAST%20Proceedings%202003%20for%20Website/CS/3301.pdf - [Similar pages](#)

[PDF] Carrier frequency offset estimation and I/Q imbalance compensation ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

relationship between the in-phase and the **quadrature** components of the received **preamble** and extracts. the **frequency offset** from the phase shift caused by ...

www.hindawi.com/RecentlyAcceptedArticlePDF.aspx?journal=ASP&number=45364 - [Similar pages](#)

[PDF] High Performance Viterbi Decoder for OFDM Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)

First, the receiver has to estimate **frequency offset**. and symbol timing, using special training symbols in the. **preamble**. Then, it can do a Fast Fourier ...

www.ece.uci.edu/~ayanoglu/VTCSp04.pdf - [Similar pages](#)

[PDF] Mapping Wireless Communication Algorithms onto a Reconfigurable ...

File Format: PDF/Adobe Acrobat

The **frequency offset** correction coefficient is esti-. mated by computing the cross-correlation of **preamble** C [4]. Figure 5 shows that **preamble** ...

www.springerlink.com/index/H305JJ510L80X274.pdf - [Similar pages](#)

Timing synchronization for OFDM-based wireless networks - Patent ...

A standard for an OFDM-based **WLAN** system is specified in "Wireless LAN ... 2, a physical layer convergence procedure (PLCP) **preamble** field 200 is used for ...

www.freepatentsonline.com/7039000.html - 40k - [Cached](#) - [Similar pages](#)

Timing synchronization for OFDM-based wireless networks - Patent ...

One technique achieves synchronization by using a number of **pilot** symbols in ... However, that method is not suitable for OFDM-based **WLAN** standards such as ...

www.freepatentsonline.com/EP1313283.html - 37k - [Cached](#) - [Similar pages](#)

[More results from www.freepatentsonline.com]

[PDF] [MENG LAYOUT](#)

File Format: PDF/Adobe Acrobat

preamble symbols, 10 periods of 0.8 μ s each, are used to detect the existence of a frame, ... Pilot. phase monitoring can track **frequency offset** esti- ...
ieeexplore.ieee.org/iel5/35/27462/01222734.pdf?arnumber=1222734 - [Similar pages](#)

[PDF] [Microsoft PowerPoint - wlan_troychak](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

transmissions over **WLAN** networks. The frame is unique to the OFDM PHY, and includes separate fields for **preamble**, signaling, and data. The **preamble** field ...
eesof.tm.agilent.com/pdf/adv_rfic_paper03.pdf - [Similar pages](#)

Did you mean to search for: "frequency offset" quadrature pilot **for** wlan preamble

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

quadrature pilot fi.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

drjatorres@gmail.com | [Search History](#) | [My Account](#) | [Sign out](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"frequency offset" quadrature pilot fir wlan pre [Advanced Search](#)

[Preferences](#)

Web Results 1 - 10 of about 37 for "**frequency offset**" quadrature pilot fir wlan preamble "**short training**". (

Did you mean: "**frequency offset**" quadrature pilot **for** wlan preamble "**short training**"

Scholarly articles for "**frequency offset**" quadrature pilot fir wlan preamble "**short training**"



[High performance Viterbi decoder for OFDM systems](#) - Akay - Cited by 6
[I-WLAN: Intelligent Wireless Local Area Networking](#) - Ergen - Cited by 3
[A MIMO System with Backward Compatibility for OFDM-Based ...](#) - Liu - Cited by 9

[PDF] [Performance of WLAN in A Multipath Channel](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

short and long training sequences of the **preamble**. The duration of the **short training** sequence is 8 s and it consists of ten identical patterns, ...

[www.enformatika.org/data/v2/v2-7.pdf](#) - [Similar pages](#)

[PDF] [High Performance Viterbi Decoder for OFDM Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

First, the receiver has to estimate **frequency offset**, and symbol timing, using special training symbols in the **preamble**. Then, it can do a Fast Fourier ...

[www.ece.uci.edu/~ayanoglu/VTCSp04.pdf](#) - [Similar pages](#)

[PDF] [Performance of WLAN in an Indoor Environment](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

BP RFIC Vendor. BW mismatch. AGC & Quantizer. 10-bit, -14 dB. **Quadrature**. splitter.
RX. **FIR**. SRC [0.2]. Synchronization. Block. **Preamble** ...

[www.ibcast.org.pk/IBCAST%20Proceedings%202003%20for%20Website/CS/3301.pdf](#) -
[Similar pages](#)

[Timing synchronization for OFDM-based wireless networks - Patent ...](#)

One technique achieves synchronization by using a number of **pilot** symbols in specific ...

An OFDM-based **WLAN** uses multiple **short training** symbols. ...

[www.freepatentsonline.com/7039000.html](#) - 40k - [Cached](#) - [Similar pages](#)

[PDF] [Wireless LAN Applications](#)

File Format: PDF/Adobe Acrobat

against phase noise and **frequency offset** as explained in Chapter 5. In ... PLCP **preamble** contains 10 repetitions of a "**short training** sequence ...

[www.springerlink.com/index/x56g2g5q414k7024.pdf](#) - [Similar pages](#)

[PDF] [Estimation and Equalization of Doubly Selective Channels Using ...](#)

File Format: PDF/Adobe Acrobat

and the **frequency offset** of the ℓ ray of the n cluster. The ... likelihood channel estimation with **short training** sequences," IEEE ...

[ieeexplore.ieee.org/iel5/78/33602/01597563.pdf](#) - [Similar pages](#)

[PDF] [I-WLAN: Intelligent Wireless Local Area Networking by Mustafa ...](#)

File Format: PDF/Adobe Acrobat

The PLCP **preamble** contains 10 repetitions of a "**short training** sequence (STS)" and ... diversity capability, and adjust for coarse **frequency offset** ...

[www.eecs.berkeley.edu/~ergen/docs/ergen_PhD.pdf](#) - [Similar pages](#)

[PDF] [Contributions to Frequency Offset and Time Delay Estimation](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the **short training** symbols in the IEEE802.11a **preamble**. The fine estimate ... 16, and the constellation used was **Quadrature** Phase Shift. Keying (QPSK). ...

www.es.isy.liu.se/publications/theses/LiU-Tek-Lic-2006-M_Olsson.pdf - [Similar pages](#)

[PDF] [A Rapid Prototype of an IEEE802.11a Synchronizer](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

imperfections like carrier **frequency offset**, timing offset and phase noise ... **short training** symbols in the IEEE802.11a **preamble**. The fine estimate is ...

www.diva-portal.org/diva/getDocument?urn_nbn_se_liu_diva-1457-1__fulltext.pdf - [Similar pages](#)

[PDF] [A MIMO System with backward compatibility for OFDM-based WLANs](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the carrier **frequency offset** (CFO), symbol timing, as well as, channel response. ... **Short training** symbols. IEEE 802.11a compatible packet **preamble** ...

www.hindawi.com/GetPDF.aspx?doi=10.1155/S111086570431022X - [Similar pages](#)

Did you mean to search for: "frequency offset" quadrature pilot **for** wlan preamble "short training"

Result Page: [1](#) [2](#) [3](#) [4](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

"frequency offset" AND quadrature AND pilot AND fir A

Search

Journal sources Preferred Web sources Other Web sources Exact phrase

Searched for:: :All of the words:"frequency offset" AND quadrature AND pilot AND fir AND wlan AND preamble

Found:: :2 total | 0 journal results | 2 preferred web results | 0 other web results

Sort by:: :relevance | date

Save checked results

Email checked results

Export checked results

Or

1. [A Rapid Prototype of an IEEE802.11a Synchronizer](#)

Olsson, Mattias, Jan 2002

...imperfections like carrier **frequency offset**, timing offset and phase...achieved.
Nyckelord Keyword **wlan**, IEEE802.11a, OFDM, synkronisering...IEEE802.11a standard
for **WLAN**. The second part consists...FFT Fast Fourier Transform **FIR** Finite Impulse
Response...Transform IQ In-phase and **Quadrature** ISI Inter-Symbol
Interference...Language WL Word Length **WLAN** Wireless Local Area Network...16 3.3
The **preamble**...estimation using CP and **pilot** sub-carriers 23 4.2.4 ML...
Full text thesis available via NDLTD
[similar results](#)

AI

...

F

2. [Timing synchronization for OFDM-based wireless networks](#)

You, Charles / Horng, Henry / Zhang, Jin-Yun, EUROPEAN PATENT APPLICATION,
May 2003

...number of **pilot** symbols in...the carrier **frequency offset** by using...time and
frequency offset in OFDM systems...OFDM-based **WLAN** standards...multiple **short**
training symbols...response (**FIR**) low pass...and last **short training** symbol are...point
carrier **frequency offset** correction...

Full text available at patent office. For more in-depth searching go to LexisNexis
[similar results](#)

...

fast

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

[Powered by FAST](#) © Elsevier 2007

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	33	375/310	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:50
L7	402	375/319	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L8	1865	375/344	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L9	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L10	28	(dc or frequency) adj (offset) with (filter or filtering) with (WLAN or "802.11" or OFDM or hyperlan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L11	2	"6930989".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L12	380	(dc or frequency) adj (offset or synchonization) with (filter or filtering) and (WLAN or "802.11" or OFDM or hyperlan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56

EAST Search History

L13	6	moose.in. and ofdm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L14	0	"10700474"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L15	66	(dc or frequency) adj (offset or synchronization) with (WLAN or "802.11")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L16	69	(dc or frequency) adj (offset) with (filter or filtering) same (WLAN or "802.11" or OFDM or hyperlan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L17	0	"10/700474"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L18	380	(dc or frequency) adj (offset) with (filter or filtering) and (WLAN or "802.11" or OFDM or hyperlan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L19	35	((fir or (finite adj impulse adj response)) with filter\$3) with correlat\$3 and ("802.11" or wlan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56

EAST Search History

L20	40	((fir or (finite adj impulse adj response)) with filter\$3) with correlat\$3 and ofdm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L21	1	"09/352404"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L22	16	(frequency adj offset) with (component or quadrature or QAM) with filter\$3 and ofdm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 14:02
L23	54	(fir or (finite adj impulse adj response)) with correlat\$3 and ofdm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L24	1441	(frequency adj offset) with (component or quadrature or QAM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 13:56
L25	240	(frequency adj offset) with (component or quadrature or QAM) with filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 14:03
L26	2	"7039000".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 14:02

EAST Search History

L27	88	(frequency adj offset) with (quadrature or QAM) with filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 14:07
L28	2	(frequency adj offset) with (quadrature or QAM) with filter\$3 with averag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 14:07
L29	1	(frequency adj offset) with (quadrature or QAM) with filter\$3 and WLAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 14:08
L30	52	(frequency adj offset) and (quadrature or QAM) and (FIR with filter\$3) and WLAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 14:10
L31	25	(frequency adj offset) and (quadrature or QAM) and (FIR with filter\$3) and WLAN and ofdm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 14:12
L32	1	27 and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 14:12
L33	0	27 and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 14:12